

you can  
**Canon**

**CLC2620**  
Colour printing system

Superb, cost-effective light colour  
performance for print-on-demand  
graphics professionals

CLC2620



OFFICIAL SUPPLIER



### Amazing colour quality

Canon's unique S-type spherical toner produces superior offset-quality matt finish, so you get professional looking documents which are easy to mark up for editing and proofing. Print resolution is a very fine 2,400dpi equivalent x 600dpi with 256 colour

256 colour gradations

gradations. Use Tag Bit technology to reproduce different screen resolutions on the same page for text and images.

For reliable colour, the reduced temperature sensitivity of the CLC2620 enables it to deliver amazing consistency with less time-consuming calibration.



conventional toner particle



Canon spherical toner particle


## Now you can offer exceptional print-on-demand colour for a highly economical investment

If colour plays a critical part in your business you can rely on Canon – the most advanced name in colour printing.

With its outstanding colour capabilities and versatility, the cutting-edge CLC2620 is hard to beat. Offering fast processing power and advanced professional finishing, this easy to use, space-saving device handles a huge range of professional workflow requirements from beginning to end. With minimum downtime and 'all in one' flexibility, the CLC2620 enables you to deliver professional colour profitably, saving money to invest elsewhere in your business.

## Flexible multiple media options

The CLC2620 accepts a wide range of printing materials in all weights from 64-253gsm and all sizes from postcard to SRA3. The latter size is essential in professional printing because it guarantees A3 print area and allows for crop marks and full bleed after trimming.



The advanced paper handling capacity also supports tab sheet printing and insertion, with auto duplexing available up to a heavyweight 209gsm.

64-253gsm

A6 to  
SRA3

## Professional finishing

A range of in-line finishing options makes the CLC2620 a complete production unit. From simple stacking and stapling to folding and saddle stitching for professional booklet production, everything can be produced quickly and easily for your print clients with minimum manual intervention.

## Compact space-saving design

In a print room with limited floor area, the small footprint of the versatile CLC2620 is a big advantage. Even fully configured, it is very compact and saves the space normally occupied by several devices.

## Print productivity

An optional powerful controller ensures faster processing time and provides you with a host of diverse capabilities such as document imposition, colour management and variable data printing. Industry-leading Fiery technology delivers fast 26 prints per minute output with less pre-press time and no compromise on colour critical applications. Use the 5,000 sheet paper capacity, refill-while-print feature and 6 way paper feeding for longer print runs with minimal operator intervention. And select the configuration that maximises your productivity from separate printer, scanner and document handling modules.

26ppm

5000  
sheet capacity

## Reduced downtime & simple maintenance

The CLC2620 is designed to maximise uptime. Canon's straight paper path reduces jams while user replaceable units, such as toner and drum cartridges, are simple to replace via side access to the device without having to call out an engineer. For easy system operation, the familiar touch-panel colour display screen provides clear menu navigation for every procedure. The remote user interface (RUI) with a built-in web browser function also offers users total control from connected workstations.

## Improved colour print efficiency and control

Advanced colour printing demanded by clients requires enhanced control. The optional colour controller enables you to maximise the functionality of the CLC2620.

Enhanced colour accuracy

Improved job control

Streamlined document workflow

## Streamlined network control


Using intelligent tools, the CLC2620 becomes a network communication hub. Store colour documents and create new documents combining scanned originals and electronic data from different applications. With Universal Send communication, you can scan in colour documents and send them electronically to a client's email address, a file server or a database. You can also encrypt PDFs with a password for added information security. Add this to the print and management capabilities of your colour controllers and you have streamlined job flow throughout your production network.

## Future-proof Java platform

To give your CLC2620 more potential uses, Canon has introduced MEAP (Multifunctional Embedded Application Platform). This Java platform will enable Canon and our partner software developers to integrate future applications into the device - custom-built for your organisation.

**meap**  
POWERED BY

If you'd like to produce higher quality colour more cost-effectively then the new Canon CLC2620 is tailor-made for you. This affordable entry-level professional colour device is perfect for all Corporate Reprographic Departments, in-house marketing groups and Print for Pay professionals.





#### 'All in one' colour device

**Meet and exceed the expectations of your most demanding colleagues and customers with the CLC2620's wide variety of print applications.**

Offering improved superior quality, consistency and colour management, this device enables you to become more productive through efficient and flexible colour, design and finishing options. Put together complex documents from different applications without the time and effort of manual collation. Create documents with folded inserts and staple or stitch finishing for polished presentations. And store them electronically for easy amends or rapid reprints.

## Key print applications for the CLC2620

**Correspondence** - internal and external letters, memos, administrative documents, letterheads

Use Canon's advanced colour management to ensure accurate reproduction of logos and key corporate colours.

**Reports & Manuals** - schedules, expense reports, booklets, meeting minutes, training/technical manuals, surveys, study documents

Incorporate tabs for highly professional looking documents with easy reference.

**Presentation Material** - proposals, contracts, charts, tenders, market trends

By using unusual sizes or mixing media materials, you can create documents that stand out from the rest.

With Canon you can offer a broader range of advanced printing and finishing options to your colleagues and customers



### Finishing Options



Stack



Staple



V Fold



Saddle Stitch / Booklet



Group/Collate



Tab Printing

**Flyers** - direct mail promotions, company newsletters, press releases, product announcements, invitations, programmes

Personalise communication and target recipients more effectively using one of Canon's Variable Data Printing solutions.

**Special Documents** - forms, ad layouts, copy proofs, storyboards, mailing lists, envelopes, labels

Add colour for increased impact on all kinds of stationery and specialised presentation documents.

**Transparencies** - graphs, artwork, analysis results, internal summaries

Produce top quality transparencies, tab sheets and coloured covers using the 100-sheet manual bypass, which handles different stock materials with ease.

## Powerful and flexible functionality

Use the CLC2620 for everything from colour copying to full document production and electronic communication as a:

- ▮ **colour network printer**
- ▮ **network printer/copier/scanner**
- ▮ **network printer/copier/scanner/finisher**
- ▮ **colour copier only**

### 1 Optional Colour Scanner

The Image Reader C1 is an advanced colour image reader with scanning size up to A3 at up to 600dpi resolution. Adding this can increase the functionality of your CLC2620 in a number of ways. You can read images on the device and use it as a high quality 26ppm colour copier. You can combine the Image Reader together with the optional colour controller to use it as a LAN scanning device for your network. Also, using Canon's Universal Send you can scan in and send colour documents directly in electronic form to e-mail addresses, PC mailboxes, desktops or a company server or database.

### 2 Optional Document Handler

For fast and easy scanning and printing – including duplexing – the DADF-K1 automatically feeds in up to 30 A4 pages per minute. It can handle media weights up to 105gsm and sizes up to A3. Combined with Canon's Accelerated Paper Feeding Method for high speed stable output, this gives you maximum productivity at both ends of the printing and copying process.



### 3 A Choice of Finishing Options Levels

Finishing capability is an important added value service in professional print environments. Recognising this, Canon offers 3 levels of professional on-line finishing for the CLC2620, offering impressive flexibility and 1,000 sheet capacity for handling customer application requirements:

#### Finisher N2 (pictured)

With 3 output trays for streamlined output, this sophisticated finisher can make finished, saddle-stitched booklets of up to 60 pages. Documents can also be grouped, collated or staple/collated (up to 50 pages in a stapled set).



#### Finisher N1

Enables documents to be grouped, collated and stapled – offering a choice of corner stapling or double stapling up to 50 pages per set.



#### Finisher M1

Enables sorted or grouped documents of up to 30 pages per set to be stapled – offering a choice of corner stapling or double stapling.



### 4 Flexible Cassette Feeding and Manual Bypass

The versatile paper handling of the CLC2620 makes it ideal for high quality short colour runs. The standard 1,100 sheet capacity comprises a 2x550 sheet paper cassette feeding unit and a 100 sheet Manual bypass and 6 way paper feeding for handling different stock materials (eg tab sheets, coloured covers and transparencies) on the same job. The standard cassette feeding and the optional cassette feeding unit are all universal cassettes, which means they support any standard paper sizes (A6-A3) simply by moving the paper support gliders. This is a print device perfectly designed for professional print.

### 5 Optional Side Paper Deck

For continuous print productivity, the optional side deck can add a further 2,700 A4 sheets to the capacity of the CLC2620, offering a total capacity of 5,000 sheets for unmanned operation of large jobs. The optional Side Paper Deck handles A4 size paper.

### Enhanced Management through a Colour Network Controller

Networkability and outstanding print performance are achieved through an optional professional controller which offers enhanced job control, job submission, colour management, colour compression (to stop colour files from congesting on your network) and full end-to-end document production with professional on-line finishing capabilities.

### Optional Software tools

The optional controller provides a number of useful software applications including colour management tools (for output quality and consistency) and job monitoring and controlling. Canon also offers other software applications, such as variable data printing, which enhance your document handling capabilities through the CLC2620.

## The ideal short-run colour print device

Canon provides the technology to give you complete control.

The CLC2620 is a modular system guaranteeing impressive output, regardless of job complexity. Designed to meet your specific on demand requirements, the device's optional range of robust hardware solutions and intelligent software accessories ensure advanced handling of short run colour workflows.

# Specifications CLC2620

Type Imaging System Developing System Fixing System CPU Image Server Memory MEAP Enabled Interface First-copy Time Warm-up Time Originals Maximum Original Size Copy Sizes Cassette Stack Bypass Image Server Mail Boxes Copy Reservation Resolution Scanning Copying Printing Half-tone Density Adjustment	Colour Digital Multifunctional Imaging System Laser Dry Electrostatic Transfer Dry Ni Component System Heat Roller Fixation System Dual Canon Custom Processor, 250MHz Standard 1024MB, 40GB HDD Yes Standard Ethernet (100BASE-TX / 10BASE-T) 9.8 sec. B&W 13.1 sec. Full Colour Max 6 min. Sheets, books and solid objects (Up to 2 Kg) A3 A5R - A3+ (305 x 457mm) A5R - SRA3 (320 x 457mm) 40GB Support for Max 100 Mail boxes 5 Jobs 600 x 600 dpi 600 dpi x 600 dpi (colour & b/w) Up to 2400 dpi equivalent x 600 dpi (colour & b/w) 256 Gradations Automatic Exposure/Manual																		
<b>ENGINE SPEED</b> Paper Side Single Auto Duplex Transparency	<table border="1"> <thead> <tr> <th>Paper Type</th> <th>Copy Speed A4</th> <th>Copy Speed A3</th> </tr> </thead> <tbody> <tr> <td>Plain Paper (64 105gsm)</td> <td>26</td> <td>16</td> </tr> <tr> <td>Thick Paper (106 209gsm)</td> <td>16</td> <td>8</td> </tr> <tr> <td>Plain Paper (64 105gsm)</td> <td>13.5</td> <td>6.5</td> </tr> <tr> <td>Manual Feed</td> <td>6 (A4, LTR)</td> <td>-</td> </tr> <tr> <td>Cassette</td> <td>6 (A4, LTR)</td> <td>-</td> </tr> </tbody> </table>	Paper Type	Copy Speed A4	Copy Speed A3	Plain Paper (64 105gsm)	26	16	Thick Paper (106 209gsm)	16	8	Plain Paper (64 105gsm)	13.5	6.5	Manual Feed	6 (A4, LTR)	-	Cassette	6 (A4, LTR)	-
Paper Type	Copy Speed A4	Copy Speed A3																	
Plain Paper (64 105gsm)	26	16																	
Thick Paper (106 209gsm)	16	8																	
Plain Paper (64 105gsm)	13.5	6.5																	
Manual Feed	6 (A4, LTR)	-																	
Cassette	6 (A4, LTR)	-																	
Duplex (Auto) Duplex (Manual) <b>MAGNIFICATION</b> Standard Mode Preset Reduction Preset Enlargement Zoom Mode Multiple Copies/Prints	A5R/A4R/A4/A3/305x457mm 64-209gsm Support from Stack Bypass/Cassette A5R/A4R/A4/A3/305x457mm 64-253gsm 100% 25%, 50%, 61%, 70%, 81%, 86% 115%, 122%, 141%, 200%, 400% 25% - 400% (in 1% increments) 1 to 999																		
<b>PAPER SUPPLY</b> Standard Optional Max. Total Paper Weights Dimensions (W x D x H) Weight Power Requirements Power Consumption	Dual 550-sheet Universal Paper Cassettes (Up to 305 x 457mm) (1100 Sheets at 80 g/m <sup>2</sup> ) Stack Bypass (Up to 320 x 457mm) (100 Sheets at 80 g/m <sup>2</sup> ) Dual 550-sheet Universal Paper Cassettes (Pedestal C-1) (Up to 305 x 457mm) (1,100 Sheets at 80 g/m <sup>2</sup> ) Paper Deck - 2,700 A4 Sheets at 80 g/m <sup>2</sup> 5,000 Sheets at 80 g/m <sup>2</sup> 64 to 209 g/m <sup>2</sup> (Cassettes) 64 to 253 g/m <sup>2</sup> (Manual) 620 x 786 x 710mm 126 kg 240V, 6.2A, 50Hz/60Hz 1.5kw max																		
<b>COLOUR UNIVERSAL SEND KIT-A2 (OPTIONAL)</b> Preview Access Sending Methods Address Book File Format Sending Sizes	Multipage document preview function Single Sign On (Windows 2000 Server), Single Device Log-In (SDL) e-Mail, iW Document Manager to Server (FTP,SMB,NCP) LDAP and Ad Hoc entry and storage Single page TIFF, multi-page TIFF, PDF, Multi page PDF, High-Compression PDF, JPEG A5 -A3																		
<b>COLOUR IMAGE READER-C1 (OPTIONAL)</b> Scanning Resolution	up to 600x600 dpi																		
<b>SCANNING SPEED</b> Colour B/W Scanning Area Driver Dimensions (W x D x H) Weight	23ipm (600 dpi), 36ipm (300 dpi) 36ipm (600 dpi) Up to A3 Network Twain (Optional) 585 x 543 x 87mm 13.5 kg																		
<b>DADF-K1 (OPTIONAL)</b> Original Sizes Original Weights Original Capacity Dimensions (W x D x H) Weight	A5 - A3 52 - 105 g/m <sup>2</sup> 30 sheets (A4) 15 sheets (A3) 580 x 506 x 165mm 12.8 kg																		

<b>PEDESTAL-C1 (OPTIONAL)</b> Dimensions (W x D x H) Weight	620 x 705 x 312mm 24 kg
<b>CASSETTE FEEDING UNIT-X1 (OPTIONAL)</b> Number of Drawers Paper Capacity Acceptable Paper Weights Dimensions (W x D x H) Weight	2x Front-loading adjustable universal drawers 2 x 550 Sheets 64 - 209 g/m <sup>2</sup> 620 x 705 x 312mm 30 kg
<b>PAPER DECK-P1 (OPTIONAL)</b> Paper Size Paper Weights Capacity Dimensions (W x D x H) Weight	A4 64 - 209 g/m <sup>2</sup> 2,700 sheets at 80 g/m <sup>2</sup> 324 x 591 x 432mm 30 kg
<b>FINISHER-M1 (OPTIONAL)</b> Number of Trays Acceptable Paper Sizes Acceptable Paper Weights Max. Capacity (per tray) Staple Mode Staple Cartridge Dimensions (W x D x H) Weight	One A5R - A3 and 305 x 457mm 64 to 253 g/m <sup>2</sup> 1,000 Sheets (A4) 500 Sheets (A3) 30 Sheets (A4) 15 Sheets (A3) Staple-L1 (3 Cartridge/Case; 3000 Staples Cartridge) 553 x 574 x 362mm 18 kg
<b>FINISHER-N1 (OPTIONAL)</b> Number of Trays Acceptable Paper Sizes Acceptable Paper Weights Max. Capacity Staple Cartridge Dimensions (W x D x H) Weight	Two A5R to A3 and 305 x 457mm 64 to 253 g/m <sup>2</sup> 1,000 Sheets per tray (A4, A5R) 500 Sheets (A3, A4R) Staple-E1 (3 Cartridge/Case; 5000 Staples Cartridge) 615 x 682 x 1066mm 37 kg
<b>SADDLE FINISHER-N2 (OPTIONAL)</b> Number of trays Acceptable Paper Sizes Tray Capacity Booklet Output Capacity Staple Position Stapling Capacity Saddle-stitch Specifications Paper Sizes Paper Weight Stapling Capacity Folding Staple Cartridge Dimensions (W x D x H) Weight	Three (top/middle) & (bottom for booklet output) A5R to A3 and 305 x 457mm 1,000 Sheets top & middle tray (A4, A5R) 500 Sheets (A3, A4R) 1-5pgs = 25 booklets, 6-10 pgs = 15 booklets, 11-15 pgs = 10 booklets Multi-position Stapling (1) Top Corner (2) Side Margin (3) Saddle-stitch 50 Sheets (A4) 15 Sheets Saddle-stitched (A4, A3) A4R, A3 64 to 209g/m <sup>2</sup> , 64 to 253g/m <sup>2</sup> (Cover only) 15 Sheets (60 pages) V-folding Standard Staple-D2 (3 Cartridge/Case; 2000 Staples Cartridge) Staple-E1 (3 Cartridge/Case; 5000 Staples Cartridge) 682 x 615 x 1066mm 57 kg
<b>COPY TRAY UNIT-H1 (OPTIONAL)</b> Number of Trays Capacity Dimensions (W x D x H) Weight	One 100 Sheets (A4) 371 x 254 x 134mm 1 kg
<b>SUPER-G3 FAX BOARD-M2 (OPTIONAL)</b> Applicable Line Connection Lines Transmission Time Compression System Sending Sizes Auto Dial Functions Image Memory Max. Confidential Fax Inboxes	Public Switched Telephone Network (PSTN) One ECM-MMR Approx. 3 seconds per page** (@33,600Kbps) MMR, MR, MH, JBIG A5R to A3 Address Book: 1800 Destinations (Total) Approx. 3,700 pages 50
<b>ACCESSORIES</b>	USB Application Interface Board-C1, Image Reader-C1, DADF-K1, Colour Universal Send Kit-A2, Colour Universal Send PDF Encryption Kit-A1, Resolution Switching Board-A2, Super-G3 Fax Board M2, iR Security Kit-A1, Token Ring Network Board TB-B4, Plain Pedestal-C1, Cassette Feeding Unit-X1, Paper Deck-P1, Finisher-M1, Finisher-N1, Saddle Finisher-N2, Copy Tray-H1, Document Tray-J1, FL Cassette-X1, Key Switch Unit-A2, Card Reader- D1, Card Sets.

\*\* Approximate 3-second-per-page fax transmission time based on ITU-T No.1 Chart (MMR, Standard Mode) at 33.6 Kbps modem speed when transmitting to another v.34 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speeds or lower, depending on telephone line conditions.

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.™ and ©All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

you can  
**Canon**

Canon Inc.  
www.canon.com

Canon Europa N.V.  
www.canon-europe.com

Canon Europa N.V.  
P.O. Box 2262, 1180 EG  
Amstelveen,  
the Netherlands  
www.canon-europe.com

English/UK Edition 0050W157  
© Canon Europa N.V., 2004 (0105)



Conforms to the International Energy Star program as an MFP



Canon's GENUINE logo means quality all-round performance

Canon (UK) Ltd  
Woodhatch, Reigate  
Surrey RH2 8BF  
Telephone No: 08000 353535  
Facsimile No: 01737 220022  
www.canon.co.uk

Canon Ireland  
Arena Road, Sandymount  
Industrial Estate  
Dublin 18, Ireland  
Telephone No: 01-2052400  
Facsimile No: 01-2958141  
www.canon.ie



Canon Europa NV  
Conservation Partner